

HomeCollectionNews & EventsWhere to buyFind Your RepContact usAbout us

	<u>Previous</u>	NORMA120FL	<u>Next</u>
Class		The Norma wall lamps provide diffused light distribution through the glass, ideal in bathrooms, corridors and staircases Mounting Wall mount only. Suitable for installation on normally inflammable surfaces. Equipped with adapter plate for mounting on 4" octagonal junction box. Can be mounted in horizontal or vertical position Materials Diffuser in Pyrex glass, aluminum structure Finishes Diffuser opal white, anodized and chromed structure Damp location (in horizontal position only)	

2x24watt T5HO 50"W x 1 «"H, 7" projection

NORMA120HAL

The Norma wall lamps provide diffused light distribution through the glass, ideal in bathrooms, corridors and staircases Mounting | Wall mount only. Suitable for installation on normally inflammable surfaces. Equipped with adapter plate for mounting on 4" octagonal junction box. Can be mounted in horizontal or vertical position Materials | Diffuser in Pyrex glass, aluminum structure Finishes | Diffuser opal white, anodized and chromed structure Damp location (in horizontal position only)



4x75watt RSC 3 1/8" 50"W x 1 «"H, 7" projection

NORMA25

The Norma wall lamps provide diffused light distribution through the glass, ideal in bathrooms, corridors and staircases Mounting | Wall mount only. Suitable for installation on normally inflammable surfaces. Equipped with adapter plate for mounting on 4" octagonal junction box. Can be mounted in horizontal or vertical position Materials | Diffuser in Pyrex glass, aluminum structure Finishes | Diffuser opal white, anodized and chromed structure Damp location (in horizontal position only)





Illuminating Experiences is a Nemo. Gruppo Cassina company.





250watt RSC 4 11/16" 9 _"W x 1 1/12"H, 5 «" projection

NORMA65FL

The Norma wall lamps provide diffused light distribution through the glass, ideal in bathrooms, corridors and staircases Mounting | Wall mo+I323unt only. Suitable for installation on normally inflammable surfaces. Equipped with adapter plate for mounting on 4" octagonal junction box. Can be mounted in horizontal or vertical position Materials | Diffuser in Pyrex glass, aluminum structure Finishes | Diffuser opal white, anodized and chromed structure Damp location (in horizontal position only)



24watt T5HO 26"W x 1 «"H, 7" projection

NORMA65HAL

The Norma wall lamps provide diffused light distribution through the glass, ideal in bathrooms, corridors and staircases Mounting | Wall mount only. Suitable for installation on normally inflammable surfaces. Equipped with adapter plate for mounting on 4" octagonal junction box. Can be mounted in horizontal or vertical position Materials | Diffuser in Pyrex glass, aluminum structure Finishes | Diffuser opal white, anodized and chromed structure Damp location (in horizontal position only)



3x75watt RSC 3 1/8" 26"W x 1 Â≪"H, 6 ¬" projection

NORMA95

The Norma wall lamps provide diffused light distribution through the glass, ideal in bathrooms, corridors and staircases Mounting | Wall mount only. Suitable for installation on normally inflammable surfaces. Equipped with adapter plate for mounting on 4" octagonal junction box. Can be mounted in horizontal or vertical position Materials | Diffuser in Pyrex glass, aluminum structure Finishes | Diffuser opal white, anodized and chromed structure

Damp location (in horizontal position only)



39watt T5HO 37 «"W x 1 «"H, 6 ¬" projection